



THE COMPLETE FUEL MANAGEMENT SOLUTION

FNHANCE YOUR FUEL MANAGEMENT TAILORED FOR ANY FIFE DIMENSION

The new Self Service 2.0 system is the most advanced response for the need to manage a fuel delivery system.

Our distinctive software means that the system is powerful, but never complex.

An innovative concept that has guided the PIUSI development team to seek the utmost simplicity in order to improve your everyday work.

Are you ready to switch it on?



SSM 2.0: SUITABLE FOR ANY FLUID





EXPANDABLE MULTI SYSTEM





SUITABLE FOR ANY FLEET DIMENSION

EXAMPLE A

≥ Local site installation with LAN/Wi-Fi network

EXAMPLE B

■ Local site installation with LAN/Wi-Fi network
+ SSM 2.0 CLOUD service enabled

EXAMPLE C

■ Local site installation with remote dispensers connected via 4G PW mobile



• Office and local installation





Office and local installation



Remote location



To better meet the market needs, we created new tailored software bundles for all company fleets, from the smallest to the largest, single and multi-site.

EXAMPLE D

→ Multi site installation with remote and local dispensers connected via LAN/Wi-Fi/4G

+ SSM 2.0 CLOUD service enabled



YOUR FUEL MANAGEMENT



SYSTEM 2.0





SELF SERVICE FM 2.0

> page **21**

THE 2.0 COMPLETE RANGE

HARDWARE & SOFTWARE



2.0 FMS RANGE KEY POINTS

piusi.com PIUS

OPTIMIZED MANAGEMENT





A unique solution that gives you complete control over your fleet:

monitor the fuel levels of your tanks, drivers & vehicles consumptions and obtain detailed reports.



1 · TANK WATCHDOG

iusi.com PIIS

INTUITIVE, ACCURATE, CONSTANT CONTROL

SSM 2.0 system features an OCIO 2.0 level indicator which allows you to monitor the fluid level in your tanks.

- Real-time monitoring
- Fluid inventory value & quantity
- **■** Fuel suppliers management
- Intuitive interface
- Advanced reporting with various customization parameters
- Ability to export data in .xls, .csv or .pdf

MONITORING

The system allows **real time monitoring** of the tank level and **gives alarms** in case of malfunction or low levels.



FLUID QUANTITY

Insert the latest load to get the updated values.

FLUID PRICE

Define the refuelling price and the fuel unit value.

FLUID VALUE

Verify the current inventory value.



2 · DRIVERS

piusi.com PIUS

COMPREHENSIVE RECORDS



Thanks to the new Self Service Management 2.0 you can manage up to 1000 drivers.

Using the driver and the vehicle keys, you can analyse the driving behaviour of individual users. Quick search, selection filters and different display modes are also available.

- Ability to see anomalous driver behavior immediately
- Ability to suspend or limit delivery to certain users
- Limit driver's refuelling quantity, daily, weekly or monthly
- Consumption alarms
- Controlled access to your dispensers

3 · VEHICLES

Software 2.0

TO KNOW EVERY DETAIL

Manage your fleet at a glance: group the vehicles by different options and personalize every single one choosing form a variety of categories. **Define the vehicle tank size and set the standard consumption range.**

- Abnormal consumption alarms
- Possibility of managing the AdBlue® tank for each vehicle
- Simplified visual interface with vehicle icons
- Highly customizable advanced reporting



4 · REPORT

piusi.com PIUS

WHEN YOU NEED TO ANALYZE

The Self Service Management 2.0 system provides powerful analysis and reporting tools.

Different types of charts and customizable time intervals can help you manage the consumption of every vehicle, every driver or category.

- Reports available for tanks, types of fluids, drivers, vehicles or category
- Fast data processing
- Ability to export data in .xls, .csv or .pdf







GROUP

Organize your transactions using a variety of different filters.

hard secured dissecret from 24 Feb 2017 to 24 May 2017.
6473 6.00 Libers 1447 6 245 6.00 = 15811.00

CALCULATE

Total and average consumption.

nt dispensed from 24 Feb 2017 to 24 May 2017: .00 Liters (24 62456.00 = 1580.00)

Feb 2017 Mar 2017 Apr 2017 May 2017

KEROSENE DE

Device 2

CALIBRATION FACTOR • 1.000

4517 Liters

MONITOR

Control the level of each tank over time.

VALUE

The cost of the consumption for every distance.




VIEW

Different types of charts easily allow you to analyze the liters dispensed each day.

2.0 SOFTWARE PROGRAM OFFER



HOW MUCH POWER DO YOU NEED?





			SSM 2.0 ENTRY	SSM 2.0 ADVANCED	SSM 2.0 SUITE
	TECHN	ICAL SPECIFICATIONS	2.0	YEAR 2018 SOFTWARE PROGE	RAM
7	(4)	DRIVERS	50	250	1.000
7		VEHICLES	50	250	1.000
7		DISPENSERS	2	4	20
7		OCIO	2	4	20
7	≣ii	DASHBOARD	~	~	✓
7	G	AUTOMATIC UPDATE	✓	~	~
7		SSM 2.0 CLOUD	~	~	✓
7	AdBlue management	AdBlue® VEHICLE TANK MANAGEMENT	~	~	~

POSSIBLE CONNECTIONS



SYSTEM ALWAYS CONNECTED, ANYWHERE

Self Service Management 2.0 adapts easily to all site installations thanks to the various data transfer methods that allow to control and collect all the information regarding your site in every condition.



Y PW MOBILE

REMOTE, ANYWHERE

4G data tranfer.

The solution to connect 2.0 devices from anywhere in the world.



MANAGER KEY

THE EASIEST

The easiest way to transfer data from the dispenser to the software. The manager key grants a network free management of the system in case of no network or restrictions.



☑ PW LAN

THE STANDARD

Real time data, via LAN cable.

Ideal for local networks.



PW WI-FI 2.0

WIRELESS

Real time data, via Wi-Fi.

Ideal for local networks.









PW MOBILE 4G DATA TRANSFER

Software 2.0_



FROM ANYWHERE

The R&D and IT departments have developed a **new communication system** that allows to install the SSM 2.0 FMS anywhere in the world even without LAN or Wi-Fi network.

PW MOBILE 4G allows you to transfer data using the mobile 4G network.



HARDWARE 2.0

THE TOP FOR DISPENSING



Self Service Management 2.0 runs only with the dedicated range of Self Service 2.0 dispensing devices.

- The highest technical performance and reliability, all from one supplier
- Bi-directional communication between the dispenser and the PC
- Built-in LAN connection
- Made in Italy; quality guaranteed by PIUSI



The level of the fluid is shown on the

device itself or on your PC.





SELF SERVICE FM 2.0

This all-in-one device represents the **state-of-the-art technology** among the PIUSI range of dispensers.



Main features:

- Flow rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB
- PIUSI water captor filter included
- Integrated nozzle contact
- Built-in OCIO tank level indicator
- Printer

SELF SERVICE MC 2.0

The perfect solution dedicated to whom who needs a complete dispenser for diesel.



Main features:

- Flow rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB
- PIUSI water captor filter included
- Integrated nozzle contact

CUBE MC 2.0

Cube MC 2.0 is the **upgraded version** of the world famous PIUSI
Cube dispenser. It can be installed both
on the wall or using the pedestal (optional).



Main features:

- Flow rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB





SSM 2.0 CLOUD

piusi.com PIUS

CONTROL YOUR SITE REMOTELY

SSM 2.0 CLOUD is the new application that lets you **control your refuelling sites remotely** and manage several installations at the same time.

- With SSM 2.0 CLOUD you can fully monitor the equipment of each site and immediately control their details and alarms
- Wherever you are, you can easily manage your fleet of drivers and vehicles
- The interface is **intuitive** as always, yet even **simpler**: each section gives you an overview of the situation, and the status icons tell everything you need to know



TRY & BUY

ssm 2.0 CLOUD is now available in the TRY & BUY mode:
a free 6-month trial of the CLOUD service made available
by PIUSI, which allows you to manage your system
from any device or tablet. Once the free 6-month trial has
ended, you can proceed with the purchase keeping
in cloud the data used during the trial period.

Ask your dealer for further details!



SSM 2.0 CLOUD

SSM 2.0 CLOUD

DISCOVER THE POSSIBILITIES

AG5917N - Volvo FE From 24/03/2016 -18-43

TANK WATCHDOG

The tank watchdog section allows you to manage the level of all your tanks, mono or multi-site installations.

DRIVERS AND VEHICLES

Add, modify and monitor the main information of each vehicle and driver for each of your sites.

DASHBOARD

The core of the system.

Choose to display the time range you are interested in, group and filter by consumption, dispensing, and levels.

SITE

Access the "site" section for an **overview of all your sites** and installed devices.



to 01/04/2016-11:19 to 24/03/2016-

DATA BACKUP

Thanks to SSM 2.0 CLOUD all your data are always backed-up. All your data are always available anywhere and any time you need, also in case of PC malfunction.



SELF SERVICE MANAGEMENT 2.0

PRODUCTS RANGE



Are you still hesitating to make a real step into the future by using the new Self Service Management 2.0?

SOFTW	ARE 2.0 · USB CODE	DESCRIPTION
	¥ F00772050	SSM 2.0 ENTRY
	¥ F0077202A	SSM 2.0 ADVANCED
	¥ F0077204A	SSM 2.0 SUITE
	¥ F00772000	SSM 2.0 CLIENT*

SOFTWA	RE 2.0 · WEB CODE	DESCRIPTION
	> F00772250	SSM 2.0 ENTRY • WEB EDITION
	> F0077222A	SSM 2.0 ADVANCED • WEB EDITION
-	¥ FOO77224A	SSM 2.0 SUITE • WEB EDITION
	> F00772200	SSM 2.0 CLIENT* • WEB EDITION

^{*} The purchase of additional Client licenses enables you to use the various versions of Self Service Management 2.0 on multiple workstations.

CLOUD 2.0 · CODE	DESCRIPTION
ONLINE PURCHASE	SSM 2.0 CLOUD

MINIMUM SYSTEM REQUIREMENTS

Intel® Pentium® 4 or AMD Athlon® 64 processor (2 GHz or faster) • Microsoft® Windows® XP with Service Pack 3, Microsoft® Windows® Vista with Service Pack 2, Microsoft® Windows® Server 2008, Microsoft® Windows® Server 2012, Microsoft® Windows® 7 with Service Pack 1, Windows 8, Windows 8.1 or Windows 10 • 2 GB of RAM • 20 GB of available hard-disk space (cannot install on removable flash storage devices) • 1280 x 800 display • Internet connection and registration are necessary for required software activation (only for Web Edition), membership validation, software updates and access to online services.

CONNEC	CTIONS • WEB CODE	DESCRIPTION
	¥ F20552010	MANAGER KEY 2.0
	¥ F12262O1A	KIT KEY READER SELF SERVICE 2.0
	¥ F1271012∆	PW WIFI 2.0
	\(\) F12710140	PW MOBILE 4G

DISPENSERS

PRODUCTS RANGE



Contact your nearest PIUSI dealer to learn more about all the opportunities that **could improve** your day-to-day business. Choose the reliability and innovation of PIUSI products. Thanks to the 2.0 product range, you will discover a new way to make your work day more precise, practical and safe.

Switch to PIUSI 2.0 products and discover the market's **new benchmark in fluid management**.

DISPENSERS · CODE		DESCRIPTION	FLUIDS	FLOW I/min	-RATE	AC V/Hz	VOLTAGE Power Watt	Amp. max.
8	¥ F0059600A	CUBE 70 MC 2.0	D	70	18	230/50	900	4.9
1	¥ FOO59610A	CUBE 90 MC 2.0	D	90	24	230/50	900	4.9
	¥ F00743010	SELF SERVICE 100 FM 2.0	D B	90	24	230/50	1150	5.7
	Y F0074302A	SELF SERVICE 100 MC 2.0	D B	90	24	230/50	1150	5.7
	¥ F00743060	SELF SERVICE 70 MC 2.0 for AdBlue®	0	34	9	230/50	400	1.95
	¥ F0059701A	MCBOX LAN 2.0	BDGOK	/	/	230/50	35	6.5
	¥ F0059701A	MCBOX WIFI 2.0	BDGOK	/	/	230/50	35	6.5

A Antifreeze B B2O with concentration up to 20% in diesel D Diesel G Gasoline K Kerosene O Oil U AdBlue® W Water W Windscreen

ACCESSORIES

PRODUCTS RANGE



Thanks to the range of Self Service Management 2.0 accessories, the system becomes increasingly flexible and adaptable to your needs.

ACCES	SORIES · CODE	DESCRIPTION
	¥ F15904000	USER KEY (yellow key • 10 pcs)
	¥ F17299000	VEHICLE KEY (blue key • 10 pcs)
j	¥ F1270800C	PEDESTAL (Cube)
	¥ R12737000	KIT WALL SUPPORT (Cube)

ocio.	CODE	DESCRIPTION
—	> F00755260	LEVEL IND. OCIO 2.0 LAN
	> F0075521A	LEVEL IND. OCIO 2.0 WIFI
	> F00755220	LEVEL IND. OCIO 2.0 RS485

KIT UPGRADE		CODE	DESCRIPTION	
	The range of 2.0 products requires the use of Self Service Management 2.0 software. Simply replacing the electronic board of SS FM	■ SS MC LAN F19225000	KIT UPGRADE SELF SERVICE MC	
	Management 2.0 software. Simply replacing the electronic board of SS FM and SS MC, your columns can communicate with the system 2.0. All with the highest electrical and mechanical compatibility, to have all advantages of 2.0 and no difficulty.	■ SS FM LAN F19226000	KIT UPGRADE SELF SERVICE FM	



RUN YOURSITE EFFICIENTLY: SSM 2.0

Self Service Management 2.0 is the Fuel Management System by PIUSI available worldwide through a professional network of authorized dealers.

Get in touch with our local partners or contact PIUSI directly to customize your SSM 2.0 system.





MADE IN ITALY